acc. to Hazardous Products Regulations (HPR)

## **Clean Line Bus Wash**

Date of compilation: 2023-03-06

Versior	Version number: GHS 1.0					
SEC	TION 1: Identification					
1.1	Product identifier					
	Trade name	Cle				
1.2	Relevant identified uses of the substance or mixed	ture a				
	Relevant identified uses	Veh Prot Indu				
	Uses advised against	Do r proc				
1.3	Details of the supplier of the safety data sheet					

ean Line Bus Wash

#### 1.3 and uses advised against

hicle wash detergent

ofessional use lustrial use

not use for squirting or spraying. Do not use for oducts which come into direct contact with the skin.

### 1.3

B-Line Tire & Auto Supply Inc. 32 Rayborn Crescent St. Albert, AB Canada T8N-4B1

1-888-458-8055 International 1-780-458-7619 https://www.bline.ca

#### 1.4 **Emergency telephone number**

Emergency information service

24 hour emergency number CANUTEC: 1-613-996-6666

### **SECTION 2: Hazard identification**

#### Classification of the substance or mixture 2.1

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
2.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.6	carcinogenicity	2	Carc. 2	H351

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

#### 2.2 Label elements

Labeling

- Signal word danger
- Pictograms
- GHS05, GHS08



- Hazard statements
  - H290 H314 H351

May be corrosive to metals. Causes severe skin burns and eye damage. Suspected of causing cancer.

acc. to Hazardous Products Regulations (HPR)

## **Clean Line Bus Wash**

Version number: GHS 1.0

Date of	compila	ation: 2	2023-	03-06
---------	---------	----------	-------	-------

Precautionary stateme	nts
P202	Do not handle until all safety precautions have been read and understood.
P234	Keep only in original packaging.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in a corrosion resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling

sodium hydroxide, trisodium nitrilotriacetate, anhydrous, Alcohols, C9-11 ethoxylated, sodium metasilicate, anhydrous

### 2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\ge 0,1\%$ .

### Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
trisodium nitrilotriacetate, anhyd- rous	CAS No 5064-31-3	3-<12	Acute Tox. 4 / H302 Eye Irrit. 2 / H319 Carc. 2 / H351
Alcohols, C9-11 ethoxylated	CAS No 68439-46-3	3-<12	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Eye Dam. 1 / H318
sodium metasilicate, anhydrous	CAS No 6834-92-0	3-<12	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Corr. 1B / H314 STOT SE 3 / H335
sodium hydroxide	CAS No 1310-73-2	1-<3	Met. Corr. 1 / H290 Acute Tox. 4 / H302 Skin Corr. 1A / H314 Eye Dam. 1 / H318
sodium dodecylbenzenesulfonate	CAS No 25155-30-0	1-<3	Acute Tox. 4 / H302 Acute Tox. 2 / H330 Skin Irrit. 2 / H315 Eye Irrit. 2A / H319
sodium 1-octanesulfonate - sub- stance	CAS No 5324-84-5	1-<3	Skin Irrit. 2 / H315 Eye Irrit. 2A / H319

acc. to Hazardous Products Regulations (HPR)

## **Clean Line Bus Wash**

Version number: GHS 1.0

Date of compilation: 2023-03-06

#### Hazardous ingredients, Consideration of other advice

This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

Eksakt prosentandel av ingrediensens holdes tilbake som en handelshemmelighet.

For full text of abbreviations: see SECTION 16.

#### **SECTION 4: First-aid measures**

#### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

# **4.3** Indication of any immediate medical attention and special treatment needed none

### **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

#### Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

#### Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

acc. to Hazardous Products Regulations (HPR)

## **Clean Line Bus Wash**

Version number: GHS 1.0 Date of compilation: 2023-03-06 SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures For non-emergency personnel Remove persons to safety. For emergency responders Wear breathing apparatus if exposed to vapors/dust/aerosols/gases. 6.2 **Environmental precautions** Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. 6.3 Methods and material for containment and cleaning up Advice on how to contain a spill Covering of drains Advice on how to clean up a spill Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder Appropriate containment techniques Use of adsorbent materials. Other information relating to spills and releases Place in appropriate containers for disposal. Ventilate affected area. 6.4 Reference to other sections Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling Recommendations - Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas. - Handling of incompatible substances or mixtures Do not mix with acids. Advice on general occupational hygiene Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs. 7.2 Conditions for safe storage, including any incompatibilities Managing of associated risks - Corrosive conditions Store in corrosive resistant container with a resistant inner liner. Control of the effects

Protect against external exposure, such as

frost

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.

acc. to Hazardous Products Regulations (HPR)

## **Clean Line Bus Wash**

Date of compilation: 2023-03-06

### Version number: GHS 1.0

## SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

Occupational exposure limit values (Workplace Exposure Limits)

				<u> </u>	<u>'</u>	,					
Coun try	Name of agent	CAS No	lden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
CA	sodium hydroxide	1310-73- 2	OEL (AB)						2		OHS Code
CA	sodium hydroxide	1310-73- 2	OEL (BC)						2		"BC Regu- lation"
CA	sodium hydroxide	1310-73- 2	OEL (ON- MoL)					2			MoL
CA	sodium hydroxide	1310-73- 2	PEV/ VEA						2		Regu- lation OHS

Notation

ceiling value is a limit value above which exposure should not occur

Ceiling-C STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified

Relevant DNELs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
trisodium nitrilotri- acetate, anhydrous	5064-31-3	DNEL	9.6 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic ef- fects
trisodium nitrilotri- acetate, anhydrous	5064-31-3	DNEL	3.2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Alcohols, C9-11 eth- oxylated	68439-46-3	DNEL	2,080 mg/ kg	human, dermal	worker (industry)	chronic - systemic effects
Alcohols, C9-11 eth- oxylated	68439-46-3	DNEL	294 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
sodium metasilicate, anhydrous	6834-92-0	DNEL	6.2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
sodium metasilicate, anhydrous	6834-92-0	DNEL	1.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
sodium hydroxide	1310-73-2	DNEL	1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local ef- fects
sodium dodecylben- zenesulfonate	25155-30-0	DNEL	52 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
sodium dodecylben- zenesulfonate	25155-30-0	DNEL	52 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic ef- fects
sodium dodecylben- zenesulfonate	25155-30-0	DNEL	52 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local ef- fects
sodium dodecylben- zenesulfonate	25155-30-0	DNEL	52 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

acc. to Hazardous Products Regulations (HPR)

## **Clean Line Bus Wash**

Version number: GHS 1.0

Date of compilation: 2023-03-06

			kture			
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
sodium dodecylben- zenesulfonate	25155-30-0	DNEL	57 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemi effects
sodium dodecylben- zenesulfonate	25155-30-0	DNEL	80 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic e fects
odium 1-octanesulf- onate - substance	5324-84-5	DNEL	15 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - system effects
odium 1-octanesulf- onate - substance	5324-84-5	DNEL	215 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
lelevant PNECs o	f components	of the mi	xture			
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
trisodium nitrilotri- acetate, anhydrous	5064-31-3	PNEC	270 <sup>mg</sup> / <sub>l</sub>	microorganisms	sewage treatment plant (STP)	short-term (sing instance)
trisodium nitrilotri- acetate, anhydrous	5064-31-3	PNEC	0.93 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (sing instance)
trisodium nitrilotri- acetate, anhydrous	5064-31-3	PNEC	0.093 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (sing instance)
trisodium nitrilotri- acetate, anhydrous	5064-31-3	PNEC	270 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (sing instance)
trisodium nitrilotri- acetate, anhydrous	5064-31-3	PNEC	0.8 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent relea
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (sing instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (sing instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	1.4 <sup>mg</sup> / <sub>l</sub>	microorganisms	sewage treatment plant (STP)	short-term (sing instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	14 <sup>mg</sup> / <sub>kg</sub>	benthic organisms	sediments	short-term (sing instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	14 <sup>mg</sup> / <sub>kg</sub>	pelagic organisms	sediments	short-term (sing instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	1 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (sing instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.014 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent relea
odium dodecylben- zenesulfonate	25155-30-0	PNEC	0.69 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (sing instance)
sodium dodecylben- zenesulfonate	25155-30-0	PNEC	1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (sing instance)
odium dodecylben- zenesulfonate	25155-30-0	PNEC	50 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (sing instance)
odium dodecylben- zenesulfonate	25155-30-0	PNEC	28 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (sing instance)

acc. to Hazardous Products Regulations (HPR)

## **Clean Line Bus Wash**

Version number: GHS 1.0

Date of compilation: 2023-03-06

Relevant PNECs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
sodium dodecylben- zenesulfonate	25155-30-0	PNEC	2.8 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
sodium dodecylben- zenesulfonate	25155-30-0	PNEC	25 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

Skin protection

#### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid
Color	light beige
Particle	not relevant (liquid)
Odor	characteristic

#### Other safety parameters

pH (value)	13 – 14 (25 °C) (base)
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	not determined closed cup

acc. to Hazardous Products Regulations (HPR)

## **Clean Line Bus Wash**

Version number: GHS 1.0

Date of compilation: 2023-03-06

	Date of compliation. 2023-03-00
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	32 hPa at 25 °C
Density	1.1 <sup>g</sup> / <sub>cm<sup>3</sup></sub>
Vapor density	this information is not available
Solubility(ies)	
- Water solubility	miscible in any proportion
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	$>200 \ ^{\circ}C$ (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	not explosive (GHS of the United Nations, annex 4)
Oxidizing properties	none
Temperature class (USA, acc. to NEC 500)	$T3$ (maximum permissible surface temperature on the equipment: 200 $^\circ\text{C})$

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". Substance or mixture corrosive to metals.

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

Oxidizers

### Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

### **10.6 Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

acc. to Hazardous Products Regulations (HPR)

## **Clean Line Bus Wash**

Date of compilation: 2023-03-06

## Version number: GHS 1.0

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

#### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

Acute toxicity estimate (ATE) of components of the mixture				
Name of substance	CAS No	Exposure route	ATE	
trisodium nitrilotriacetate, anhydrous	5064-31-3	oral	1,740 <sup>mg</sup> / <sub>kg</sub>	
Alcohols, C9-11 ethoxylated	68439-46-3	oral	1,200 <sup>mg</sup> / <sub>kg</sub>	
Alcohols, C9-11 ethoxylated	68439-46-3	dermal	2,000 <sup>mg</sup> / <sub>kg</sub>	
sodium metasilicate, anhydrous	6834-92-0	oral	1,349 <sup>mg</sup> / <sub>kg</sub>	
sodium metasilicate, anhydrous	6834-92-0	inhalation: vapour	>2.1 <sup>mg</sup> / <sub>/</sub> /4h	
sodium metasilicate, anhydrous	6834-92-0	inhalation: dust/mist	0.5 <sup>mg</sup> / <sub>l</sub> /4h	
sodium hydroxide	1310-73-2	oral	325 <sup>mg</sup> / <sub>kg</sub>	
sodium dodecylbenzenesulfonate	25155-30-0	oral	650 <sup>mg</sup> / <sub>kg</sub>	
sodium dodecylbenzenesulfonate	25155-30-0	inhalation: dust/mist	0.31 <sup>mg</sup> / <sub>l</sub> /4h	

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Suspected of causing cancer.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

acc. to Hazardous Products Regulations (HPR)

## **Clean Line Bus Wash**

Version number: GHS 1.0

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute	e) of components	of the mixture			
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
trisodium nitrilotriacet- ate, anhydrous	5064-31-3	LC50	114 <sup>mg</sup> / <sub>l</sub>	fish	96 h
trisodium nitrilotriacet- ate, anhydrous	5064-31-3	EC50	98 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	96 h
trisodium nitrilotriacet- ate, anhydrous	5064-31-3	ErC50	>92 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Alcohols, C9-11 eth- oxylated	68439-46-3	LC50	8.5 <sup>mg</sup> / <sub>l</sub>	fathead minnow	96 h
Alcohols, C9-11 eth- oxylated	68439-46-3	EC50	5.3 <sup>mg</sup> / <sub>l</sub>	daphnia magna	48 h
Alcohols, C9-11 eth- oxylated	68439-46-3	ErC50	1 – 10 <sup>mg</sup> / <sub>l</sub>	algae	96 h
sodium metasilicate, an- hydrous	6834-92-0	LC50	310 <sup>mg</sup> / <sub>l</sub>	fish	96 h
sodium metasilicate, an- hydrous	6834-92-0	EC50	1,700 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
sodium hydroxide	1310-73-2	LC50	<180 <sup>mg</sup> / <sub>l</sub>	fish	96 h
sodium hydroxide	1310-73-2	EC50	40 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
sodium dodecylben- zenesulfonate	25155-30-0	LC50	7.2 <sup>mg</sup> / <sub>l</sub>	fish	96 h
sodium dodecylben- zenesulfonate	25155-30-0	EC50	6.3 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
sodium dodecylben- zenesulfonate	25155-30-0	ErC50	29 <sup>mg</sup> / <sub>l</sub>	algae	96 h
sodium 1-octanesulfon- ate - substance	5324-84-5	LC50	>100 <sup>mg</sup> / <sub>l</sub>	fish	96 h
sodium 1-octanesulfon- ate - substance	5324-84-5	EC50	421 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
sodium 1-octanesulfon- ate - substance	5324-84-5	ErC50	>100 <sup>mg</sup> / <sub>l</sub>	algae	72 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium metasilicate, an- hydrous	6834-92-0	EC50	>100 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h
sodium hydroxide	1310-73-2	EC50	22 <sup>mg</sup> / <sub>l</sub>	microorganisms	15 min
sodium dodecylben- zenesulfonate	25155-30-0	LC50	6.4 <sup>mg</sup> / <sub>l</sub>	fish	24 h
sodium dodecylben- zenesulfonate	25155-30-0	EC50	<723 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h

Date of compilation: 2023-03-06

acc. to Hazardous Products Regulations (HPR)

## **Clean Line Bus Wash**

Version number: GHS 1.0

Date of compilation: 2023-03-06

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of  $\ge 0,1\%$ .

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\ge 0,1\%$ .

#### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: Transport information

14.1	UN number	
	UN RTDG	UN 3266
	IMDG-Code	UN 3266
	ICAO-TI	UN 3266
14.2	UN proper shipping name	
	UN RTDG	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
	IMDG-Code	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
	ICAO-TI	Corrosive liquid, basic, inorganic, n.o.s.
	Technical name (hazardous ingredients)	sodium metasilicate, anhydrous, methanol
14.3	Transport hazard class(es)	
	UN RTDG	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	UN RTDG	III
	IMDG-Code	III
	IMDG-Code ICAO-TI	

acc. to Hazardous Products Regulations (HPR)

## **Clean Line Bus Wash**

Versior	n number: GHS 1.0	Date of compilation: 2023-03-06
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6	Special precautions for user	
	There is no additional information.	
14.7	<b>Transport in bulk according to IMO instruments</b> The cargo is not intended to be carried in bulk.	
	Information for each of the UN Model Regulations	
	Transport information - National regulations - Add	ditional information (UN RTDG)
	UN number	3266
	Class	8
	Packing group	III
	Danger label(s)	8
	Special provisions (SP)	223, 274 (UN RTDG)
	Excepted quantities (EQ)	E1 (UN RTDG)
	Limited quantities (LQ)	5 L (UN RTDG)
	International Maritime Dangerous Goods Code (IN	IDG) - Additional information
	Marine pollutant	-
	Danger label(s)	8
	Special provisions (SP)	223, 274
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 L
	EmS	F-A, S-B
	Stowage category	A
	Segregation group	18 - Alkalis
	International Civil Aviation Organization (ICAO-IA	-
	Danger label(s)	8
	Special provisions (SP)	A3
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	1 L

acc. to Hazardous Products Regulations (HPR)

## **Clean Line Bus Wash**

Date of compilation: 2023-03-06

## SECTION 15: Regulatory information

## 15.1 Safety, health and environmental regulations specific for the product in question

### National regulations (United States)

Toxic Substance Control Act (TSCA) all in

all ingredients are listed as "ACTIVE"

## Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
sodium hydroxide	1310-73-2		1	1000 (454)
sodium dodecylbenzenesulfonate	25155-30-0		1	1000 (454)

Legend

Version number: GHS 1.0

"1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

### Clean Air Act

none of the ingredients are listed

## **Right to Know Hazardous Substance List**

### - Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Water	7732-18-5	solvent	
trisodium nitrilotriacetate, anhydrous	5064-31-3	chelate / se- questrant	
Alcohols, C9-11 ethoxylated	68439-46-3	surfactant	
sodium metasilicate, anhydrous	6834-92-0	cleaning agent	
sodium hydroxide	1310-73-2	pH adjusting agent	OEHHA RELS
sodium dodecylbenzenesulfonate	25155-30-0	surfactant	
sodium 1-octanesulfonate - substance	5324-84-5	surfactant	
sodium xylene sulphonate	1300-72-7	surfactant	
disodium cocoamphodipropionate	68604-71-7	surfactant	
sodium sulfate	7757-82-6	cleaning agent	
methanol	67-56-1	alcohols	CA TACs NTP OHAT - Repr. or Dev. Toxicants OEHHA RELs Prop 65
cocoyl hydroxyethylimidazoline	61791-38-6	non-functional con- stituent	

acc. to Hazardous Products Regulations (HPR)

## **Clean Line Bus Wash**

Version number: GHS 1.0

Date of compilation: 2023-03-06

### - Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshol d	De Minimis Con- centration Threshold
sodium hydroxide	1310-73-2				1.0 %
sodium dodecylbenzenesulfonate	25155-30-0				1.0 %

#### - Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
sodium hydroxide	1310-73-2	A, N, O	

Legend

Ā

American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards," Au-gust 1988, available from NIOSH, Publications Dissemination Office, Division of Standards Development and Technology Transfer Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Ν

0 Safety and Health Division

### - Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
sodium hydroxide	1310-73-2		CO R1
sodium dodecylbenzenesulfonate	25155-30-0		

Legend

CO Corrosive

R1 Reactive - First Degree

### - Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
SODIUM HYDROXIDE (NA(OH))	1310-73-2	E
BENZENESULFONIC ACID, DODECYL-, SO- DIUM SALT	25155-30-0	E

Legend

Environmental hazard E

### - Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
sodium hydroxide	1310-73-2	T, F

Legend

Flammability (NFPA®) Toxicity (ACGIH®)

acc. to Hazardous Products Regulations (HPR)

## **Clean Line Bus Wash**

Version number: GHS 1.0 Date of compilation: 2023-03-06

# California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals					
Name of substance	Name acc. to inventory	CAS No	Wt%	Remarks	Type of the tox- icity
methanol	methanol	67-56-1	0.091		develop- mental

### **VOC content**

- Regulated Volatile Organic Compounds (VOC-EPA)	0.11 %
- Regulated Volatile Organic Compounds (VOC-Cal ARB)	0.11 %

### Industry or sector specific available guidance(s)

### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

### **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

## National regulations (Canada)

All ingredients are listed.

### **National inventories**

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed
CA	DSL	all ingredients are listed
US	TSCA	all ingredients are listed as "ACTIVE"
AU	AIIC	not all ingredients are listed

Domestic Substances List (DSL)

acc. to Hazardous Products Regulations (HPR)

## **Clean Line Bus Wash**

Version number: GHS 1.0

Date of compilation: 2023-03-06

Country	Inventory	Status
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	not all ingredients are listed
Logond		

### Legend

DSL ECSI IECSC INSQ ISHA-ENCS KECI NZIOC PICCS REACH Reg. TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
"BC Regulation"	OHS Regulation: Section 5.48 (British Columbia)
ACGIH®	American Conference of Governmental Industrial Hygienists
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal ARB	California Air Resources Board
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances

acc. to Hazardous Products Regulations (HPR)

## **Clean Line Bus Wash**

Version number: GHS 1.0

Date of compilation: 2023-03-06

Abbr.	Descriptions of used abbreviations
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protect ing human health and the environment
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal ity during a specified time interval
LHS	Lower hazard substance
Met. Corr.	Substance or mixture corrosive to metals
MoL	Ministry of Labor: Current Occupational Exposure Limits for Ontario Workplaces Required under Regulation 833
NFPA®	National Fire Protection Association (United States)
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OHS Code	Occupational Health and Safety Code: Occupational exposure limits for chemical substances (Alberta)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Regulation OHS	Regulation respecting occupational health and safety: Permissible exposure values for airborne contaminants (Quebec)
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

acc. to Hazardous Products Regulations (HPR)

## **Clean Line Bus Wash**

Version number: GHS 1.0

Date of compilation: 2023-03-06

#### Key literature references and sources for data

Hazardous Products Regulations (HPR).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.