acc. to Hazardous Products Regulations (HPR)

Clean Line Cleaned and Dressed

Version number: GHS 1.0 Date of compilation: 2024-11-15

1 Identification

1.1 Product identifier

Trade name Clean Line Cleaned and Dressed

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Surface reconditioning fluid

Professional use Industrial use

Consumer use (private households)

HS code 3402.42.90

1.3 Details of the supplier of the safety data sheet

B-Line Tire & Auto Supply Inc. 32 Rayborn Crescent St. Albert, AB Canada T8N-4B1

1-888-458-8055

International 1-780-458-7619

https://www.bline.ca

1.4 Emergency telephone number

Emergency information service 24 hour emergency number

CANUTEC: 1-613-996-6666

2 Hazard identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This mixture does not meet the criteria for classification.

2.2 Label elements

Labeling

not required

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

3 Composition/ Information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
Orange oil, sweet	CAS No 8008-57-9	< 0.1	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304

Canada: en Page: 1 / 12

acc. to Hazardous Products Regulations (HPR)

Clean Line Cleaned and Dressed

Version number: GHS 1.0 Date of compilation: 2024-11-15

Name of substance	Identifier	Wt%	Classification acc. to GHS
Mandarin orange, ext.	CAS No 8008-31-9 84929-38-4	< 0.1	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304

Hazardous ingredients, Consideration of other advice

This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

Eksakt prosentandel av ingrediensens holdes tilbake som en handelshemmelighet.

Remarks

For full text of abbreviations: see SECTION 16.

4 First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

5 Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Canada: en Page: 2 / 12

acc. to Hazardous Products Regulations (HPR)

Clean Line Cleaned and Dressed

Version number: GHS 1.0 Date of compilation: 2024-11-15

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

7 Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

frost

7.3 Specific end use(s)

See section 16 for a general overview.

8 Exposure controls/ Personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Cou ntry	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/m ³]	Nota tion	Sourc e
CA	benzaldehyde	100-52-7	OEL			4	17				Regu-

Canada: en Page: 3 / 12

acc. to Hazardous Products Regulations (HPR)

Clean Line Cleaned and Dressed

Version number: GHS 1.0 Date of compilation: 2024-11-15

Occup	oational exposure	limit value	es (Worl	kplace E	xposure l	_imits)				,	
Cou ntry	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/m	STEL [ppm]	STEL [mg/m ³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/m ³]	Nota tion	Sourc e
			(ON)								lation 833
CA	benzaldehyde	100-52-7	OEL (ON- MoL)			4	17				MoL
CA	isobutyl acetate	110-19-0	OEL (AB)	150	713						OHS Code
CA	isobutyl acetate	110-19-0	OEL (BC)	150							"BC Regu- lation"
CA	isobutyl acetate	110-19-0	OEL (ON- MoL)	150							MoL
CA	isobutyl acetate	110-19-0	PEV/ VEA	150	713						Regu- lation OHS
CA	3-methylbutyl acetate (isopentyl acetate) (isoamyl acetate)	123-92-2	OEL (AB)	50	266	100	532				OHS Code
CA	isoamyl acetate	123-92-2	PEV/ VEA	50	266	100	532				Regu- lation OHS
CA	isopentyl acetate	123-92-2	OEL (BC)	50		100					"BC Regu- lation"
CA	isopentyl acetate	123-92-2	OEL (ON- MoL)	50		100					MoL
CA	benzyl acetate	140-11-4	OEL (AB)	10	61						OHS Code
CA	benzyl acetate	140-11-4	OEL (BC)	10							"BC Regu- lation"
CA	benzyl acetate	140-11-4	OEL (ON- MoL)	10							MoL
CA	benzyl acetate	140-11-4	PEV/ VEA	10							Regu- lation OHS

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified TWA

Canada: en Page: 4 / 12

acc. to Hazardous Products Regulations (HPR)

Clean Line Cleaned and Dressed

Version number: GHS 1.0 Date of compilation: 2024-11-15

Relevant DNELs o	f components					
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Orange oil, sweet	8008-57-9	DNEL	31 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Orange oil, sweet	8008-57-9	DNEL	8.9 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Orange oil, sweet	8008-57-9	DNEL	186 μg/cm ²	human, dermal	worker (industry)	acute - local effects
Mandarin orange, ext.	8008-31-9 84929-38-4	DNEL	23 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Mandarin orange, ext.	8008-31-9 84929-38-4	DNEL	6.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Mandarin orange, ext.	8008-31-9 84929-38-4	DNEL	186 μg/cm ²	human, dermal	worker (industry)	acute - local effects

Relevant PNECs of	of components	3				
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Orange oil, sweet	8008-57-9	PNEC	44 ^{mg} / _{kg}	aquatic organisms	water	short-term (single instance)
Orange oil, sweet	8008-57-9	PNEC	5.8 ^{µg} / _I	aquatic organisms	water	intermittent release
Orange oil, sweet	8008-57-9	PNEC	5.4 ^{µg} / _I	aquatic organisms	freshwater	short-term (single instance)
Orange oil, sweet	8008-57-9	PNEC	0.54 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
Orange oil, sweet	8008-57-9	PNEC	2.1 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Orange oil, sweet	8008-57-9	PNEC	1.3 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
Orange oil, sweet	8008-57-9	PNEC	0.13 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Orange oil, sweet	8008-57-9	PNEC	0.26 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Mandarin orange, ext.	8008-31-9 84929-38-4	PNEC	5.4 ^{µg} / _I	aquatic organisms	freshwater	short-term (single instance)
Mandarin orange, ext.	8008-31-9 84929-38-4	PNEC	0.54 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
Mandarin orange, ext.	8008-31-9 84929-38-4	PNEC	2.1 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Mandarin orange, ext.	8008-31-9 84929-38-4	PNEC	1.3 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
Mandarin orange, ext.	8008-31-9 84929-38-4	PNEC	0.13 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Mandarin orange, ext.	8008-31-9 84929-38-4	PNEC	0.29 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls General ventilation.

Canada: en Page: 5 / 12

acc. to Hazardous Products Regulations (HPR)

Clean Line Cleaned and Dressed

Version number: GHS 1.0 Date of compilation: 2024-11-15

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Color	white
Odor	fruity
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	>65 °C at 1 atm
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	not determined closed cup
Auto-ignition temperature	420 °C
Decomposition temperature	not relevant
pH (value)	9-10 (25 °C)
Kinematic viscosity	not determined

Solubility(ies)

Water solubility	miscible in any proportion
------------------	----------------------------

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapor pressure	<25 mmHg at 20 °C

Canada: en Page: 6 / 12

acc. to Hazardous Products Regulations (HPR)

Clean Line Cleaned and Dressed

Version number: GHS 1.0 Date of compilation: 2024-11-15

Density and/or relative density

Density	0.98 – 1 ⁹ / _{cm³}
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics

Miscibility	Completely miscible with water.
Temperature class (USA, acc. to NEC 500)	$T2$ (maximum permissible surface temperature on the equipment: 300 $^{\circ}\text{C})$

10 Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

11 Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Canada: en Page: 7 / 12

acc. to Hazardous Products Regulations (HPR)

Clean Line Cleaned and Dressed

Version number: GHS 1.0 Date of compilation: 2024-11-15

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

12 Ecological information

12.1 Toxicity

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0.1%.

12.7 Other adverse effects

Data are not available.

13 Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

14 Transport information

14.1 UN number not subject to transport regulations

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous

goods regulations

Canada: en Page: 8 / 12

acc. to Hazardous Products Regulations (HPR)

Clean Line Cleaned and Dressed

Version number: GHS 1.0 Date of compilation: 2024-11-15

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport information - National regulations - Additional information (UN RTDG)

Not subject to transport regulations: UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

15 Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

 The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Water	7732-18-5	solvent	
polydimethylsiloxane	63148-62-9	surface modifier	
silicone emulsion	not available	shine agent	
Tetrasodium EDTA, anhydrous	64-02-8	chelate / se- questrant	
hydroxypropylheptamethyltrisiloxane,eth- oxylated, hydroxy-terminated	67674-67-3	surface modifier	
Polyethylene glycol	25322-68-3	surfactant	
sodium hydroxide	1310-73-2	pH adjusting agent	OEHHA RELs

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals					
Name of substance	Name acc. to inventory	CAS No	Wt%	Remarks	Type of the tox-icity
1,4-dioxane	1,4-dioxane	123-91-1	0.0000003 6		cancer

VOC content

- Regulated Volatile Organic Compounds (VOC-EPA)

0.14%

Canada: en Page: 9 / 12

acc. to Hazardous Products Regulations (HPR)

Clean Line Cleaned and Dressed

Version number: GHS 1.0 Date of compilation: 2024-11-15

- Regulated Volatile Organic Compounds (VOC-Cal ARB)

0.14 %

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	0	no significant risk to health
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
CA	DSL	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
AU	AIIC	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	not all ingredients are listed

Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)

Canada: en Page: 10 / 12

acc. to Hazardous Products Regulations (HPR)

Clean Line Cleaned and Dressed

Version number: GHS 1.0 Date of compilation: 2024-11-15

Legend

ECSI EC Substance Inventory (EINECS, ELINCS, NLP)

IECSC Inventory of Existing Chemical Substances Produced or Imported in China

INSQ National Inventory of Chemical Substances

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory
NZIoC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

16 Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
"BC Regulation"	OHS Regulation: Section 5.48 (British Columbia)
Asp. Tox.	Aspiration hazard
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MoL	Ministry of Labor: Current Occupational Exposure Limits for Ontario Workplaces Required under Regulation 833
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OHS Code	Occupational Health and Safety Code: Occupational exposure limits for chemical substances (Alberta)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Regulation 833	R.R.O. 1990, Reg. 833: Control of exposure to biological or chemical agents (Ontario)

Canada: en Page: 11 / 12

acc. to Hazardous Products Regulations (HPR)

Clean Line Cleaned and Dressed

Version number: GHS 1.0 Date of compilation: 2024-11-15

Abbr.	Descriptions of used abbreviations
Regulation OHS	Regulation respecting occupational health and safety: Permissible exposure values for airborne contaminants (Quebec)
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Hazardous Products Regulations (HPR)

SOR/2022-272: Regulations Amending the Hazardous Products Regulations (GHS, Seventh Revised Edition)

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Canada: en Page: 12 / 12