acc. to Hazardous Products Regulations (HPR)

### **Clean Line Marine 1**

Version number: GHS 1.0

#### Date of compilation: 2024-11-22

### **1** Identification

### 1.1 Product identifier

Trade name

### **Clean Line Marine 1**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Vehicle polishing compound Professional use Industrial use Consumer use (private households)

### **1.3** Details of the supplier of the safety data sheet

B-Line Tire & Auto Supply Inc. 32 Rayborn Crescent St. Albert, AB Canada T8N-4B1

1-888-458-8055 International 1-780-458-7619 https://www.bline.ca

### 1.4 Emergency telephone number

Emergency information service

24 hour emergency number CANUTEC: 1-613-996-6666

### 2 Hazard identification

### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16.

### 2.2 Label elements

Labeling

- Signal word warning

- Pictograms

GHS07

**!** 

- Hazard statements H319 Causes serio

Causes serious eye irritation.

- Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

acc. to Hazardous Products Regulations (HPR)

### **Clean Line Marine 1**

Version number: GHS 1.0

Date of compilation: 2024-11-22

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\ge 0.1\%$ .

### 3 Composition/ Information on ingredients

### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
Distillates (petroleum), hydro- treated light	CAS No 64742-47-8	10-<30	Asp. Tox. 1 / H304
ethylene glycol monomontanate	CAS No 73138-45-1	1-<5	cD 1 / H-cD
Alcohols, C9-11 ethoxylated	CAS No 68439-46-3	1-<5	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Eye Dam. 1 / H318
Distillates (petroleum), hydro- treated heavy naphthenic	CAS No 64742-52-5	0.1 - < 1	Acute Tox. 4 / H332 Asp. Tox. 1 / H304
Benzaldehyde	CAS No 100-52-7	0.1 - < 1	Flam. Liq. 4 / H227 Acute Tox. 4 / H302 Acute Tox. 3 / H331

#### Hazardous ingredients, Consideration of other advice

This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

Eksakt prosentandel av ingrediensens holdes tilbake som en handelshemmelighet.

### Remarks

For full text of abbreviations: see SECTION 16.

### 4 First-aid measures

#### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

# 4.3 Indication of any immediate medical attention and special treatment needed

none

4.2

acc. to Hazardous Products Regulations (HPR)

### **Clean Line Marine 1**

Version number: GHS 1.0

Date of compilation: 2024-11-22

### 5 Fire-fighting measures

### 5.1 Extinguishing media

Suitable extinguishing media Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### 6 Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

#### For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### 7 Handling and storage

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

acc. to Hazardous Products Regulations (HPR)

### **Clean Line Marine 1**

Version number: GHS 1.0

Date of compilation: 2024-11-22

### 7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as frost

### 7.3 Specific end use(s)

See section 16 for a general overview.

### 8 Exposure controls/ Personal protection

### 8.1 Control parameters

Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Cou ntry	Name of agent	CAS No	lden- tifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/m <sup>3</sup> ]	Nota tion	Sourc e
CA	benzaldehyde	100-52-7	OEL (ON)			4	17				Regu- lation 833
CA	benzaldehyde	100-52-7	OEL (ON- MoL)			4	17				MoL
CA	aluminium, insol- uble compounds	1344-28- 1	OEL (BC)		1					r	"BC Regu- lation"
CA	aluminium, insol- uble compounds	1344-28- 1	OEL (ON- MoL)		1					r	MoL
CA	aluminium oxide	1344-28- 1	PEV/ VEA		10					Al, dust, noAs b_les s1Sil	Regu- lation OHS
CA	aluminium oxide (alumina)	1344-28- 1	OEL (AB)		10						OHS Code
CA	glycerine	56-81-5	OEL (AB)		10					mist	OHS Code
CA	glycerine	56-81-5	OEL (BC)		10					mist	"BC Regu- lation"
CA	glycerine	56-81-5	PEV/ VEA		10					mist	Regu- lation OHS
CA	glycerine	56-81-5	OEL (BC)		3					r, mist	"BC Regu- lation"
CA	Kerosene/Jet fuels	64742- 47-8	OEL (BC)		200					Hy- Carb, vap, H	"BC Regu- lation"

### Notation

Al	calculated as AI (aluminum)
Ceiling-C	ceiling value is a limit value above which exposure should not occur
dust	as dust
Н	absorbed through the skin
HyCarb	calculated as hydrocarbons

acc. to Hazardous Products Regulations (HPR)

### **Clean Line Marine 1**

### Version number: GHS 1.0

Date of compilation: 2024-11-22

Notation	
mist	as mists
noAsb_less1 Sil	contains no asbestos and less than 1% free crystalline silica
r	respirable fraction
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified
vap	as vapors

### Relevant DNELs of components

	-					
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
ethylene glycol monomontanate	73138-45-1	DNEL	50 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Alcohols, C9-11 eth- oxylated	68439-46-3	DNEL	2,080 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Alcohols, C9-11 eth- oxylated	68439-46-3	DNEL	294 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Benzaldehyde	100-52-7	DNEL	9.8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Benzaldehyde	100-52-7	DNEL	9.8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local ef- fects
Benzaldehyde	100-52-7	DNEL	1.1 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs o	f components	;				
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	1.4 <sup>mg</sup> / <sub>l</sub>	microorganisms	sewage treatment plant (STP)	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	14 <sup>mg</sup> / <sub>kg</sub>	benthic organisms	sediments	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	14 <sup>mg</sup> / <sub>kg</sub>	pelagic organisms	sediments	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	1 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.014 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release
Distillates (petro- leum), hydrotreated heavy naphthenic	64742-52-5	PNEC	9.3 <sup>mg</sup> / <sub>kg</sub>	(top) predators	water	short-term (single instance)
Distillates (petro- leum), hydrotreated heavy naphthenic	64742-52-5	PNEC	9.3 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	water	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	0.002 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	0 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single

acc. to Hazardous Products Regulations (HPR)

### **Clean Line Marine 1**

Version number: GHS 1.0

Date of compilation: 2024-11-22

Relevant PNECs o	f components	5				
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
						instance)
Benzaldehyde	100-52-7	PNEC	7.6 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	0.022 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	0.002 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	0.003 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

### 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid (viscous)
Color	off-white
Odor	fruity
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	0.6 vol% - 19 vol%
Flash point	>100 °C at 101 kPa >212 °F at 1 atm closed cup
Auto-ignition temperature	262 °C (auto-ignition temperature (liquids and gases))

acc. to Hazardous Products Regulations (HPR)

### **Clean Line Marine 1**

Version n	umber: GHS 1.0	Date of compilation: 2024-11-22
	Decomposition temperature	not relevant
	pH (value)	8-8.5
	Kinematic viscosity	5,000 cSt at 25 °C
	Solubility(ies)	not determined

### Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapor pressure	32 hPa at 25 °C
----------------	-----------------

### Density and/or relative density

Density	1.3 <sup>g</sup> / <sub>ml</sub> at 20 °C
Relative vapour density	information on this property is not available
Relative density	1.3 (water = 1)

Particle characteristics	not relevant (liquid)
Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	
Temperature class (USA, acc. to NEC 500)	$\begin{array}{c} T2B \ (\text{maximum permissible surface temperature on the equipment:} \\ 260^{\circ}\text{C}) \end{array}$

### 10 Stability and reactivity

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

acc. to Hazardous Products Regulations (HPR)

### **Clean Line Marine 1**

Version number: GHS 1.0

Date of compilation: 2024-11-22

### 11 Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### **Classification acc. to GHS**

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components			
Name of substance	CAS No	Exposure route	ATE
Alcohols, C9-11 ethoxylated	68439-46-3	oral	1,200 <sup>mg</sup> / <sub>kg</sub>
Alcohols, C9-11 ethoxylated	68439-46-3	dermal	2,000 <sup>mg</sup> / <sub>kg</sub>
Distillates (petroleum), hydrotreated heavy naph- thenic	64742-52-5	inhalation: vapour	11 <sup>mg</sup> /ı/4h
Distillates (petroleum), hydrotreated heavy naph- thenic	64742-52-5	inhalation: dust/mist	2.2 <sup>mg</sup> / <sub>l</sub> /4h
Benzaldehyde	100-52-7	oral	1,430 <sup>mg</sup> / <sub>kg</sub>
Benzaldehyde	100-52-7	inhalation: vapour	5 <sup>mg</sup> /ı/4h

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### **12 Ecological information**

### 12.1 Toxicity

Harmful to aquatic life.

acc. to Hazardous Products Regulations (HPR)

### **Clean Line Marine 1**

Version number: GHS 1.0

Date of compilation: 2024-11-22

Aquatic toxicity (acute) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
ethylene glycol monomontanate	73138-45-1	LC50	>10 <sup>g</sup> / <sub>l</sub>	fish	24 h
ethylene glycol monomontanate	73138-45-1	EC50	>10 <sup>g</sup> / <sub>l</sub>	aquatic invertebrates	24 h
ethylene glycol monomontanate	73138-45-1	ErC50	>320 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Alcohols, C9-11 eth- oxylated	68439-46-3	LC50	8.5 <sup>mg</sup> / <sub>l</sub>	fathead minnow	96 h
Alcohols, C9-11 eth- oxylated	68439-46-3	EC50	5.3 <sup>mg</sup> / <sub>l</sub>	daphnia magna	48 h
Alcohols, C9-11 eth- oxylated	68439-46-3	ErC50	1 – 10 <sup>mg</sup> / <sub>l</sub>	algae	96 h
Benzaldehyde	100-52-7	LC50	12 <sup>mg</sup> / <sub>l</sub>	fish	96 h

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of  $\geq$  0.1%.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

### 12.7 Other adverse effects

Data are not available.

### 13 Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### 14 Transport information

-		
14.1	UN number	not assigned
14.2	UN proper shipping name	not relevant
14.3	Transport hazard class(es)	none
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous

acc. to Hazardous Products Regulations (HPR)

### **Clean Line Marine 1**

Version number: GHS 1.0

Date of compilation: 2024-11-22

goods regulations

### 14.6 Special precautions for user

There is no additional information.

**14.7 Transport in bulk according to IMO instruments** The cargo is not intended to be carried in bulk.

### Information for each of the UN Model Regulations

Transport information - National regulations - Additional information (UN RTDG) Not subject to transport regulations: UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

### 15 Regulatory information

### 15.1 Safety, health and environmental regulations specific for the product in question

### National regulations (United States)

### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

### Clean Air Act

none of the ingredients are listed

### **Right to Know Hazardous Substance List**

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Water	7732-18-5	solvent	
aluminium oxide	1344-28-1	abrasive	
Distillates (petroleum), hydrotreated light	64742-47-8	solvents	
Neuburg Siliceous Earth	1020665-14-8	abrasive	
Glycerine	56-81-5	humectant	
ethylene glycol monomontanate	73138-45-1	wax	
Alcohols, C9-11 ethoxylated		surfactant	
acrylate copolymer	75760-37-1	viscosity modifier	
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	solvents	EC Annex VI CMRs - Cat. 1B
Silicic acid, lithium magnesium sodium salt	53320-86-8	viscosity modifier	
Benzaldehyde	100-52-7	fragrance	
Sodium C14-16 olefin sulfonate	68439-57-6	surfactant	
Tetrasodium EDTA, anhydrous	64-02-8	chelate / se- questrant	
Isobutyl acetate	110-19-0	fragrance	
Isopentyl acetate	123-92-2	fragrance	
Benzyl acetate	140-11-4	fragrance	

acc. to Hazardous Products Regulations (HPR)

### **Clean Line Marine 1**

Version number: GHS 1.0

Date of compilation: 2024-11-22

Name of substance	CAS No	Functionality	Authoritative Lists
hexylene glycol	107-41-5	humectant	
sodium sulfate	7757-82-6	cleaning agent	

### - Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
Benzaldehyde	100-52-7		F2

Legend

F2 Flammable - Second Degree

# California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

### **VOC content**

- Regulated Volatile Organic Compounds (VOC-EPA)	0.25 %
- Regulated Volatile Organic Compounds (VOC-Cal ARB)	0.25 %

### Industry or sector specific available guidance(s)

### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description	
Chronic	/	none	
Health	2	temporary or minor injury may occur	
Flammability	1	material that must be preheated before ignition can occur	
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive	
Personal protection	-		

### **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

### National inventories

Country	Inventory	Status
CA	DSL	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

acc. to Hazardous Products Regulations (HPR)

### **Clean Line Marine 1**

Version number: GHS 1.0

Date of compilation: 2024-11-22

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed

#### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### 16 Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
"BC Regulation"	OHS Regulation: Section 5.48 (British Columbia)
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
cD	Combustible dust
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval

acc. to Hazardous Products Regulations (HPR)

### **Clean Line Marine 1**

Version number: GHS 1.0

Date of compilation: 2024-11-22

Abbr.	Descriptions of used abbreviations
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protect- ing human health and the environment
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
MoL	Ministry of Labor: Current Occupational Exposure Limits for Ontario Workplaces Required under Regulation 833
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OHS Code	Occupational Health and Safety Code: Occupational exposure limits for chemical substances (Alberta)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Regulation 833	R.R.O. 1990, Reg. 833: Control of exposure to biological or chemical agents (Ontario)
Regulation OHS	Regulation respecting occupational health and safety: Permissible exposure values for airborne contaminants (Quebec)
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Hazardous Products Regulations (HPR)

SOR/2022-272: Regulations Amending the Hazardous Products Regulations (GHS, Seventh Revised Edition) UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

acc. to Hazardous Products Regulations (HPR)

**Clean Line Marine 1** 

Version number: GHS 1.0

Date of compilation: 2024-11-22

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H-cD	May form combustible dust concentrations in air.
H227	Combustible liquid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.