Safety Data Sheet

Rim Release®

SECTION 1. IDENTIFICATION

Product Identifier Rim Release®

Part number TNDS8153, TNDS8253, TNDS8353

Product Family Mixture
Recommended Use Rim release.
Restrictions on Use None known.

Manufacturer Shrader Canada Limited

830 Progress Court Oakville, Ontario Canada L6L 6K1 +1.905.847.0222

Emergency Phone No. Immediately contact your local poison control centre.

CANUTEC, +1.613.996.6666, for transportation emergencies.

SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015).

Classification

Flammable liquid - Category 3; Skin irritation - Category 2; Eye irritation - Category 2A; Aspiration hazard - Category 1

Label Elements







Danger

Flammable liquid and vapour.

May be fatal if swallowed and enters airways.

Causes skin irritation.

Causes serious eye irritation.

Keep away from heat, sparks, open flames, and hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical, ventilating, and lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash hands and skin thoroughly after handling.

Wear protective gloves.

Product Identifier: Rim Release® - Ver. 1

SDS No.: TNDS8153, TNDS8253, TNDS8353

Date of Preparation: March 03, 2022

Date of Last Revision: Page 01 of 09

Wear eye protection/face protection.

IF SWALLOWED: Immediately call a POISON CENTRE or doctor.

Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use carbon dioxide, dry chemical powder to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Distillates (petroleum), hydrotreated light	64742-47-8	10-30		
Xylene (mixed isomers)	1330-20-7	10-30		
Stoddard solvent	8052-41-3	10-30		
Ethylbenzene	100-41-4	5-10		
n-Nonane	111-84-2	1-5		
1,2,4-Trimethylbenzene	95-63-6	0.5-1.5		
Naphthalene	91-20-3	0.1-1.0		

Notes

Any concentration shown as a range is due to batch processing, actual concentration is confidential.

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Remove source of exposure or move to fresh air. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor. If breathing has stopped, trained personnel should begin rescue breathing. Immediately call a Poison Centre or doctor.

Skin Contact

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. If skin irritation occurs, get medical advice or attention.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice or attention.

Ingestion

Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again. Drink two glasses of water. Immediately call a Poison Centre or doctor.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Product Identifier: Rim Release® - Ver. 1

SDS No.: TNDS8153, TNDS8253, TNDS8353

Date of Preparation: March 03, 2022

Date of Last Revision: Page 02 of 09

Suitable Extinguishing Media

Carbon dioxide or dry chemical. Use water to keep non-leaking, fire-exposed containers cool.

Unsuitable Extinguishing Media

DO NOT use water or water-based extinguishing agents.

Specific Hazards Arising from the Product

Flammable liquid and vapour. Can ignite at room temperature. Releases vapour that can form explosive mixture with air. Liquid can float on water and may travel to distant locations and/or spread fire. May travel a considerable distance to a source of ignition and flash back to a leak or open container.

Carbon oxides, and other unidentified organic compounds.

Special Protective Equipment and Precautions for Fire-fighters

See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials. Fire-fighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA).

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Do not touch damaged containers or spilled product unless wearing appropriate protective equipment.

Environmental Precautions

If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas. Do not allow into any sewer, on the ground or into any waterway.

Methods and Materials for Containment and Cleaning Up

Contain and soak up spill with absorbent that does not react with spilled product. Contaminated absorbent poses the same hazard as the spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

It is good practice to: avoid breathing product; avoid skin and eye contact and wash hands after handling. Do not weld, cut or perform hot work on empty container until all traces of product have been removed. Eliminate heat and ignition sources such as sparks, open flames, hot surfaces and static discharge. Post "No Smoking" signs. Keep containers tightly closed when not in use or empty.

Conditions for Safe Storage

Store in an area that is: cool, dry, well-ventilated. Store in a closed container.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

	ACGIH	TLV®	OSHA PEL	
Chemical Name	TWA	STEL [C]	TWA	Ceiling
Ethylbenzene	20 ppm A3	Not established	100 ppm	Not established
n-Nonane	200 ppm	Not established	Not established	Not established
Xylene (mixed isomers)	100 ppm A4	150 ppm A4	435 mg/m3	Not established
Distillates (petroleum), hydrotreated light	200 mg/m3 A3	Not established	Not established	Not established
Stoddard solvent	100 ppm	Not established	Not established	Not established
Naphthalene	10 ppm	15 ppm	10 ppm	Not established
1,2,4-Trimethylbenzene	25 ppm	Not established	Not established	Not established

Product Identifier: Rim Release® - Ver. 1

SDS No.: TNDS8153, TNDS8253, TNDS8353

Date of Preparation: March 03, 2022

Date of Last Revision: Page 03 of 09

Appropriate Engineering Controls

Sufficient mechanical ventilation to maintain exposures below the TLV. Under normal conditions of use, general ventilation should be satisfactory. Local ventilation is recommended if the product is misted or used in a confined space or if the TLV is exceeded. Make up air should always be supplied to balance air exhausted. Provide eyewash and safety shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Suitable materials are: neoprene rubber, nitrile rubber.

Respiratory Protection

Not normally required if product is used as directed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance Clear colourless liquid.

Odour Petroleum
Odour Threshold Not available
pH Not applicable

Melting Point/Freezing Point Not available (melting)

Boiling Range Not available

Flash Point 30 °C

Evaporation Rate Not available

Flammability (solid, gas) Not applicable (liquid).

Upper/Lower Flammability or

Explosive Limit

Not available (upper); Not available (lower)

Vapour Pressure Not available

Vapour Density (air = 1) > 1 Relative Density (water = 1) 0.822

Solubility Negligible in water

Partition Coefficient, n-

Octanol/Water (Log Kow)

Not available

Auto-ignition TemperatureNot availableDecomposition TemperatureNot available

Viscosity < 14 centistokes at 40°C (kinematic)

Other Information

VOC % 95

Flame projection Not applicable

NFPA Classification Flammable liquid, Class IC

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use.

Chemical Stability

Normally stable.

Product Identifier: Rim Release® - Ver. 1

SDS No.: TNDS8153, TNDS8253, TNDS8353

Date of Preparation: March 03, 2022

Date of Last Revision: Page 04 of 09

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

Open flames, sparks, static discharge, heat and other ignition sources.

Incompatible Materials

Increased risk of fire and explosion on contact with: strong oxidizing agents (e.g. perchloric acid).

Hazardous Decomposition Products

Carbon oxides. And other unidentified organic compounds.

SECTION 11. TOXICOLOGICAL INFORMATION

Information presented below is for the entire product, unless otherwise specified.

Likely Routes of Exposure

Inhalation:

Skin contact;

Eye contact;

Ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Ethylbenzene	~ 4000 ppm (rat) (4-hour exposure)	3500 mg/kg (rat)	15380 mg/kg (rabbit)
n-Nonane	3200 ppm (rat) (4-hour exposure)	> 15000 mg/kg (rat)	Not available
Xylene (mixed isomers)	6350 ppm (male rat) (4-hour exposure)	3523 mg/kg (rat)	> 1700 mg/kg (rabbit)
Distillates (petroleum), hydrotreated light	> 5000 mg/m3 (rat) (6-hour)	> 5000 mg/kg (rat)	> 5000 mg/kg (rabbit)
Stoddard solvent	> 5500 mg/m3 (rat) (4-hour exposure)	> 5000 mg/kg (rat)	> 3000 mg/kg (rabbit)
Naphthalene	141 ppm (rat) (4-hour exposure)	490 mg/kg (rat)	> 20000 mg/kg (rabbit)
1,2,4-Trimethylbenzene	18000 mg/m3 (rat) (4-hour exposure)	5000 mg/kg (rat)	Not available

LC50 (Inhalation)

37% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (inhalation).

LD50 (Oral)

37% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (oral).

LD50 (Dermal)

41% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (dermal).

Skin Corrosion/Irritation

There is limited evidence of moderate or severe irritation.

Serious Eye Damage/Irritation

There is limited evidence of serious eve irritation.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

At high concentrations may cause depression of the central nervous system, nose and throat irritation. Symptoms may include headache, nausea, dizziness, drowsiness and confusion.

Product Identifier: Rim Release® - Ver. 1

SDS No.: TNDS8153, TNDS8253, TNDS8353

Date of Preparation: March 03, 2022

Date of Last Revision: Page 05 of 09

Skin Absorption

No information was located.

Ingestion

If large amounts are swallowed can cause effects as described for inhalation. Symptoms may include headache, nausea, dizziness, drowsiness and confusion.

Aspiration Hazard

May cause lung damage if aspirated based on physical properties (e.g. kinematic viscosity) and chemical family (hydrocarbon).

STOT (Specific Target Organ Toxicity) - Repeated Exposure

Conclusions cannot be drawn from the limited studies available.

Respiratory and/or Skin Sensitization

No information was located for respiratory sensitization.

No information was located for skin sensitization.

Carcinogenicity

Chemical Name	ACGIH®	IARC	NTP	OSHA
Ethylbenzene	A3	Group 2B	Not Listed	Not Listed
Xylene (mixed isomers)	A4	Group 3	Not Listed	Not Listed
Distillates (petroleum), hydrotreated light	A3	Group 3	Not Listed	Not Listed
Naphthalene	A4	Group 2B	Reasonably anticipated	Not Listed

Contains. (Ethylbenzene) which has been classified as a Group 2B carcinogen (possibly carcinogenic to humans) contains. (Naphthalene) which has been classified as a Group 2B carcinogen (possibly carcinogenic to humans).

Key to Abbreviations

ACGIH® = American Conference of Governmental Industrial Hygienists. A3 = Animal carcinogen. A4 = Not classifiable as a human carcinogen.

IARC = International Agency for Research on Cancer. Group 2B = Possibly carcinogenic to humans. Group 3 = Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity

Development of Offspring

(Xylene (mixed isomers)) may cause effects on the unborn child based on limited evidence.

No information was located for: Sexual Function and Fertility, Effects on or via Lactation, Germ Cell Mutagenicity, Interactive Effects

SECTION 12. ECOLOGICAL INFORMATION

This section is not required by WHMIS.

This section is not required by OSHA HCS 2012.

Ecotoxicity

Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Ethylbenzene	7.5-11 mg/L (Pimephales promelas (fathead minnow); 96-hour)	1.37-4.4 mg/L (Daphnia magna (water flea); 48-hour)		
Xylene (mixed isomers)	7.7-9.6 mg/L (Lepomis macrochirus			

Product Identifier: Rim Release® - Ver. 1

SDS No.: TNDS8153, TNDS8253, TNDS8353

Date of Preparation: March 03, 2022

Date of Last Revision: Page 06 of 09

	(bluegill); 96-hour)		
Distillates (petroleum), hydrotreated light	1000 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour)	1000 mg/L (Daphnia magna (water flea); 48-hour)	1000 mg/L (Pseudokirchneriella subcapitata (algae); 72-hour)
Stoddard solvent		~ 1.4 mg/L (Daphnia magna (water flea); 48-hour; fresh water)	
Naphthalene	1.11-1.68 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour)	1.09-3.4 mg/L (Daphnia magna (water flea); 48-hour)	
1,2,4-Trimethylbenzene	7.19-8.28 mg/L (96- hour)		

Chronic Aquatic Toxicity

Chemical Name	NOEC Fish	EC50 Fish	NOEC Crustacea	EC50 Crustacea
Stoddard solvent			~ 0.097 mg/L (Daphnia magna (water flea); 21-day; fresh water)	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Do not reuse empty containers. Empty containers retain product residue. Follow label warnings even if container appears to be empty. The container for this product can present explosion or fire hazards, even when emptied. Do not cut, puncture, or weld on or near this container. Dispose of in accordance with municipal, provincial/state or federal regulations.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	UN1993	Flammable liquid, n.o.s. (xylene)	3	III
IMDG (Marine)	UN1993	Flammable liquid, n.o.s. (xylene)	3	III
IATA (Air)	UN1993	Flammable liquid, n.o.s. (xylene)	3	Ш

Special Precautions Not applicable

Transport in Bulk according to International Maritime Organization Instruments

Not applicable

Emergency Response 128 EmS F-E, S-E

Guide No.

Other Information ICAO/IATA PI Y344/355/366

Product may ship as LTD QTY if TDG, ICAO/IATA or IMDG Limited Quantity provisions are

met.

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

Product Identifier: Rim Release® - Ver. 1

SDS No.: TNDS8153, TNDS8253, TNDS8353

Date of Preparation: March 03, 2022

Date of Last Revision: Page 07 of 09

All ingredients are listed on the DSL/NDSL.

CEPA - National Pollutant Release Inventory (NPRI)

(Ethylbenzene) Part 1A.

(Xylene (mixed isomers)) Part 1A.

(Distillates (petroleum), hydrotreated light) Part 5.

(Naphthalene) Part 1A.

(1,2,4-Trimethylbenzene) Part 1A.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

Additional USA Regulatory Lists

CERCLA. (Ethylbenzene). (Xylene (mixed isomers)). (Naphthalene)

SARA Title III - Section 302:

SARA Title III - Section 313. (Ethylbenzene). (Xylene (mixed isomers)). (Naphthalene). (1,2,4-Trimethylbenzene)

California Proposition 65. (Ethylbenzene). (Naphthalene)

Massachusetts Right To Know: Not applicable.

New Jersey Right To Know. (Ethylbenzene). (n-Nonane). (Xylene (mixed isomers)). (Stoddard solvent).

(Naphthalene). (1,2,4-Trimethylbenzene)

Pennsylvania Right To Know. (Ethylbenzene). (n-Nonane). (Xylene (mixed isomers)). (Stoddard solvent).

(Naphthalene). (1,2,4-Trimethylbenzene)

SECTION 16. OTHER INFORMATION

NFPA Rating Health - 1 Flammability - 3 Instability - 0

SDS Prepared By Regulatory Compliance

Phone No. 800.201.9486 **Date of Preparation** March 03, 2022

Revision Indicators The following SDS content was changed on September 22, 2021:

SECTION 12. ECOLOGICAL INFORMATION; Acute Aquatic Toxicity. The following SDS content was changed on September 22, 2021: SECTION 12. ECOLOGICAL INFORMATION; Chronic Aquatic Toxicity.

The following SDS content was changed on November 25, 2021: SECTION 12. ECOLOGICAL INFORMATION; Acute Aquatic Toxicity. The following SDS content was changed on November 25, 2021: SECTION 12. ECOLOGICAL INFORMATION; Acute Aquatic Toxicity. The following SDS content was changed on November 26, 2021:

SECTION 12. ECOLOGICAL INFORMATION; Acute Aquatic Toxicity. The following SDS content was changed on November 26, 2021: SECTION 12. ECOLOGICAL INFORMATION; Acute Aquatic Toxicity. The following SDS content was changed on November 26, 2021: SECTION 12. ECOLOGICAL INFORMATION; Acute Aquatic Toxicity. The following SDS content was changed on December 06, 2021:

SECTION 11. TOXICOLOGICAL INFORMATION; LC50/LD50 values. The following SDS content was changed on December 10, 2021: SECTION 12. ECOLOGICAL INFORMATION; Acute Aguatic Toxicity.

Key to Abbreviations ACGIH® = American Conference of Governmental Hygienists

CANUTEC = Canadian Transport Emergency Centre

CAS = Chemical Abstract Service

CCOHS = Canadian Centre for Occupational Health & Safety

CNS = Central nervous system

GESTIS = GESTIS Substance Database HSDB® = Hazardous Substances Data Bank

IARC = International Agency for Research on Cancer

Product Identifier: Rim Release® - Ver. 1

SDS No.: TNDS8153, TNDS8253, TNDS8353

Date of Preparation: March 03, 2022

Date of Last Revision: Page 08 of 09

ICAO = International Civil Aviation Organization

IMDG = International Maritime Dangerous Goods Code

LC = Lethal concentration

LC = Lethal dose

NFPA = National Fire Protection Association

NTP = National Toxicology Program

OSHA = US Occupational Safety and Health Administration

PPM = Parts per million

RTECS® = Registry of Toxic Effects of Chemical Substances

STEL = Short term exposure limit

TDG = Transportation of Dangerous Goods Regulations (Canada)

TWA = Time weighted average

References Material safety data sheet from manufacturer.

CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS). HSDB® database. US National Library of Medicine. Available from Canadian Centre for

Occupational Health and Safety (CCOHS).

Registry of Toxic Effects of Chemical Substances (RTECS®) database. Accelrys, Inc. Available

from Canadian Centre for Occupational Health and Safety (CCOHS).

ECHA - European Chemical Agency, Classification and Labelling Inventory

GESTIS Substance Database

OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2015.

Disclaimer The information contained herein is offered only as a guide to the use and handling of this

specific material and has been prepared in good faith. It is not intended to be all-inclusive, and

the manner and conditions of use and handling may involve other and additional

considerations. No warranty of any kind is given or implied. Shrader Canada Limited will not be liable for any damages, losses, injuries or consequential damages which may result from the

use of or reliance on any information contained herein.

Product Identifier: Rim Release® - Ver. 1

SDS No.: TNDS8153, TNDS8253, TNDS8353

Date of Preparation: March 03, 2022

Date of Last Revision: Page 09 of 09

